Volume 2024, 10 pages Article ID: IJETS-2408302112908 Review Review

Classifying FPGA Technology in Digital Signal Processing: A review

Saman Sadeghi a*

^a Department of Electrical Engineering-Electronics, Mazandaran University of Science and Technology, Babol, Iran

Corresponding authors: Saman Sadeghi, Email:Samansdi30@gmail.com

Date Received: 03-04-2024; Date Revised: 08-06-2024; Date Accepted: 27-07-2024

Abstract

This review paper explores the applications of digital signal processing (DSP) using field-programmable gate arrays (FPGAs). FPGAs have emerged as an ideal platform for implementing complex DSP algorithms due to their high flexibility, reconfigurability, and parallel processing capabilities. The paper begins with an overview of FPGA architecture and highlights the advantages of using FPGAs over other DSP technologies. Various applications of FPGAs in DSP are discussed, including digital filtering, fast Fourier transforms (FFT), encoding and decoding in communication systems, and power optimization. Case studies and practical examples from real-world projects are provided to demonstrate the efficiency and effectiveness of FPGAs in DSP applications. Finally, the paper addresses the challenges and limitations associated with using FPGAs for DSP and offers insights into future research directions in this field. This review underscores that FPGAs, by providing a powerful and flexible platform, can significantly enhance the performance and efficiency of DSP systems.

Keywords: Minimum FPGA, digital signal processing, DSP algorithms, reconfigurability, parallel processing, digital filtering, FFT, communication systems, power optimization

Introduction

This Digital Signal Processing (DSP) is pivotal in numerous contemporary technological applications, encompassing telecommunications, multimedia processing, medical imaging, radar systems, and beyond. The escalating complexity and demand for real-time processing capabilities in these domains have spurred the development and adoption of advanced hardware platforms. Among these platforms, Field-Programmable Gate Arrays (FPGAs) have gained prominence due to their inherent flexibility, reconfigurability, and robust parallel processing capabilities, rendering them ideal for implementing intricate DSP systems.

FPGAs offer distinct advantages over conventional DSP platforms like General-Purpose Processors (GPPs), Digital Signal Processors (DSPs), and Application-Specific Integrated Circuits (ASICs). Unlike ASICs, which are tailored for specific functions and cannot be reprogrammed, FPGAs can be dynamically reconfigured to accommodate diverse algorithms and applications. This flexibility is particularly advantageous in environments where DSP requirements evolve rapidly, enabling rapid prototyping and iterative development, as shown in Table 1 [1].

FPGA	ASIC
Reconfigurable circuitry after manufacturing	Fixed circuitry for product's lifespan
Suitable for digital designs only	Analog/mixed-signal circuitry can be fully implemented
Can be purchased as off-the-shelf products	Can only be designed as custom, private-label devices
Low-performance efficiencies, higher power consumption	Low power consumption, high-performance efficiencies
No non-recurring engineering (NRE) costs	NRE costs are part of the design process
Difficult to attain high-frequency rates	Operate at higher frequency rates
Faster time-to-market, high per unit costs	Long time-to-market, lower per unit costs
Are typically larger than ASICs	Can be much smaller than FPGA devices
Prototyping and validating with FPGAs is easier	Prototypes must be accurately validated to avoid design iterations
Lower barrier to entry for competitors	Higher barrier to entry for competitors

Table 1. ASIC Vs FPGA Comparison Table

Moreover, FPGA-based solutions often offer superior performance and efficiency compared to software implementations on GPPs, especially for tasks involving intensive parallel computations such as filtering, Fast Fourier Transforms (FFT), and image processing, as shown in Figure 2. [2]



Figure 2. Developed Digital Signal Processing block diagram using FPGA.

Advancements in FPGA technology have significantly bolstered their applicability in DSP. Modern FPGAs are equipped with high-density logic elements, embedded DSP blocks, high-speed transceivers, and substantial on-chip memory, empowering them to handle complex and compute-intensive DSP tasks effectively [3]. These enhancements have expanded the use cases of FPGAs into critical areas like wireless communication, real-time video processing, and advanced medical imaging, where low latency and high throughput are paramount [4].

Nevertheless, leveraging FPGAs for DSP presents challenges. Designing and implementing FPGAbased systems require specialized knowledge of hardware description languages (HDLs) such as VHDL or Verilog, as well as familiarity with FPGA toolchains and development environments [5]. Additionally, the iterative design and verification process can be resource-intensive, potentially increasing development costs [6]. To mitigate these challenges, higher-level synthesis (HLS) tools and development frameworks have emerged, simplifying FPGA programming and making it accessible to a broader range of developers [7]. These tools enable designers to describe DSP algorithms at a higher level of abstraction, thereby reducing development time and enhancing productivity [8].

This review aims to provide a comprehensive overview of the applications and advantages of FPGAs in digital signal processing. It begins with an exploration of FPGA architecture and its relevance in DSP applications. Various use cases of FPGAs in DSP are then examined, accompanied by specific examples and case studies from recent developments. The review also addresses the existing challenges and limitations of FPGA-based DSP systems and proposes avenues for future research to enhance their efficiency and usability.

By harnessing the unique capabilities of FPGAs, DSP systems can achieve unprecedented levels of performance and efficiency, driving advancements across diverse technological domains. This paper underscores the significant impact of FPGAs on the field of digital signal processing and underscores their potential to catalyze future innovations.

Historical Development of FPGA Technology

Field-Programmable Gate Arrays (FPGAs) have evolved significantly since their inception in the 1980s. Initially developed to provide flexibility in digital circuit design, FPGAs quickly gained popularity due to their reconfigurability and programmability, which set them apart from Application-Specific Integrated Circuits (ASICs). Over the years, FPGA technology has advanced in terms of logic density, speed, and integration of specialized hardware components such as DSP blocks and embedded processors. This evolution has enabled FPGAs to support increasingly complex and high-performance applications in diverse fields such as telecommunications, aerospace, and signal processing.[9]

Applications of FPGAs in DSP

Field-Programmable Gate Arrays (FPGAs) have gained significant traction in Digital Signal Processing (DSP) due to their reconfigurability, parallel processing capabilities, and high throughput, making them suitable for a wide range of applications.

- **Real-Time Signal Processing:** FPGAs excel in applications requiring real-time processing of signals, such as audio and video processing, radar systems, and communications. Their ability to implement parallel processing architectures enables them to handle multiple streams of data simultaneously with low latency [10-13].
- Wireless Communications: In wireless communication systems, FPGAs are used for tasks such as modulation and demodulation, channel coding and decoding, and adaptive filtering. Their flexibility allows for rapid prototyping and customization of communication protocols, ensuring optimal performance in dynamic environments [14-19].
- **Image and Video Processing**: FPGAs are extensively used in image and video processing applications, including medical imaging, surveillance systems, and multimedia compression. They can perform complex operations like image enhancement, feature extraction, and motion estimation efficiently due to their parallel processing capabilities [20-23].
- **Radar and Sonar Systems**: For radar and sonar systems, FPGAs are employed in pulse compression, target tracking, and beamforming. Their ability to handle large volumes of data in real-time while maintaining accuracy and reliability makes them indispensable in defense and surveillance applications [24-27].

- **Machine Learning and AI Acceleration**: With the integration of AI accelerators, FPGAs are increasingly used for accelerating machine learning algorithms. They can deploy neural network models for tasks such as pattern recognition, speech processing, and natural language understanding, leveraging their parallelism and computational efficiency [28-31].
- Sensor Data Processing: FPGAs play a crucial role in processing data from sensors in IoT devices and embedded systems. They enable real-time analysis of sensor data for applications such as environmental monitoring, smart grids, and industrial automation, enhancing system responsiveness and efficiency [32-35].
- **Emerging Applications**: Recent advancements have expanded FPGA applications to areas such as quantum computing, bioinformatics, and autonomous systems. These applications leverage FPGA's adaptability and high-performance computing capabilities to address complex computational challenges [36-39].

Advantages of FPGA-based DSP:

- Flexibility and Configurability: FPGAs are known for their high flexibility compared to Application-Specific Integrated Circuits (ASICs). They can be reconfigured and programmed to implement a wide range of DSP algorithms and functions. This flexibility allows developers to adapt quickly to changing requirements or to customize DSP processing to specific application needs without the need for redesigning hardware.[40]
- **Parallel Processing Capability**: FPGA architectures are inherently parallel, allowing multiple operations to be executed simultaneously. This parallelism is crucial for real-time DSP applications where high throughput and low latency are required. Algorithms such as FFT, convolution, filtering, and modulation/demodulation can be implemented efficiently due to FPGA's ability to process data in parallel [41].
- **Performance and Throughput**: FPGAs offer high-performance computing capabilities suitable for real-time signal processing tasks. They can handle large amounts of data and execute complex algorithms with low latency. The ability to implement algorithms directly in hardware results in faster execution compared to software-based solutions running on general-purpose processors [42].
- Low Power Consumption: In many cases, FPGAs consume less power compared to generalpurpose processors performing the same DSP tasks. This efficiency is due to the hardwarelevel implementation of algorithms, where only necessary logic elements are active at any given time, reducing overall power consumption [43].
- **Customizability and Optimization**: DSP algorithms often require optimization for specific applications or hardware constraints. FPGAs allow for fine-grained customization at the hardware level, enabling developers to optimize algorithms to achieve maximum performance or to meet stringent power and area requirements [44].
- **Integration with External Interfaces**: FPGAs typically include a variety of I/O interfaces such as high-speed serializers/deserializers (SerDes), Ethernet ports, and memory controllers. These interfaces facilitate seamless integration with external devices, sensors, and communication networks, making FPGAs suitable for interfacing with diverse data sources and destinations in DSP applications [45].
- Scalability and Upgradability: FPGA-based systems are scalable, allowing designers to increase processing capabilities by upgrading to larger FPGAs or by implementing multi-FPGA systems for higher computational tasks. This scalability ensures that DSP systems can grow with evolving application requirements [46].
- **Real-Time Processing Capabilities**: Due to their parallel architecture and hardware-level implementation of algorithms, FPGAs are well-suited for real-time DSP applications where immediate response to incoming data streams is critical. This capability is essential in applications such as communications, control systems, and signal analysis [47].

Challenges and Limitations

Field-Programmable Gate Arrays (FPGAs) offer significant advantages in Digital Signal Processing (DSP), but their adoption is accompanied by several challenges and limitations that need to be addressed for optimal utilization.

- **Design Complexity**: The design process for FPGA-based DSP systems can be complex and time-consuming. Designers must translate algorithms into hardware description languages (HDLs) such as Verilog or VHDL, which requires expertise in both signal processing and FPGA architecture. Furthermore, optimizing designs for performance and resource utilization adds another layer of complexity [48].
- **High Development Costs**: Developing FPGA-based DSP systems often incurs high costs, primarily due to the specialized hardware and software tools required. These tools include FPGA development boards, synthesis tools, and debugging equipment. Additionally, the cost of skilled engineers proficient in FPGA design and verification further contributes to the overall development expenses [48].
- **Resource Constraints**: FPGAs have finite resources in terms of logic elements, memory blocks, and I/O pins. Designers must carefully manage these resources to avoid underutilization or overutilization, which can impact system performance and scalability. Resource optimization techniques, such as pipelining and parallel processing, are crucial to achieving efficient FPGA designs [49].
- **Power Consumption**: While FPGAs offer high performance and flexibility, they can consume significant power, especially in applications requiring intensive computation and data processing. Power management strategies, including dynamic voltage and frequency scaling (DVFS) and low-power design techniques, are essential to mitigate power consumption without compromising performance [50].
- **Programming and Toolchain Complexity**: The programming model for FPGAs differs from traditional processors, requiring developers to adapt to parallel programming paradigms and hardware-specific optimizations. The complexity of FPGA toolchains, although improving with advances in high-level synthesis (HLS) tools like Xilinx Vivado HLS and Intel Quartus, remains a barrier for rapid prototyping and iterative design cycles [51].
- **Integration and Compatibility**: Integrating FPGA-based DSP systems with existing hardware and software ecosystems can pose compatibility challenges. Interfacing with external peripherals, communication protocols, and system-level integration require meticulous planning and verification to ensure seamless operation within the target application environment [52].
- Security and Reliability: Ensuring the security and reliability of FPGA-based DSP systems is paramount, particularly in safety-critical applications. Mitigating risks associated with configuration bitstream security, IP protection, and fault tolerance mechanisms requires robust design practices and adherence to industry standards [53].

Addressing these challenges involves continuous advancements in FPGA technology, tooling infrastructure, and interdisciplinary collaboration between DSP experts and FPGA designers. Overcoming these limitations is crucial for unlocking the full potential of FPGAs in next-generation DSP applications.

Future Directions and Research Opportunities

Field-Programmable Gate Arrays (FPGAs) continue to evolve as key platforms for Digital Signal Processing (DSP), and future research is poised to address several critical areas aimed at enhancing performance, flexibility, and integration of FPGA-based DSP systems.

- Algorithm Optimization: Future research efforts should focus on optimizing algorithms specifically tailored for FPGA architectures. Techniques such as algorithmic pipelining, loop unrolling, and parallelization are crucial for maximizing FPGA resource utilization and improving computational efficiency. Recent studies by Lee and Wang (2023) emphasize the importance of algorithm optimization in achieving high-performance FPGA-based DSP implementations [54].
- **High-Level Synthesis (HLS) Tools**: The advancement and adoption of HLS tools like Xilinx Vivado HLS and Intel HLS Compiler offer promising avenues for simplifying FPGA design workflows. Future research should explore enhancements in HLS tool capabilities, including better support for complex algorithms, improved synthesis quality of high-level constructs, and automated optimization strategies. These advancements can streamline FPGA design processes and accelerate time-to-market for DSP applications [55].
- **Integration with Other Hardware Platforms**: Research should investigate methods for seamless integration of FPGA-based DSP systems with other hardware platforms, such as CPUs, GPUs, and specialized accelerators. Hybrid computing architectures, as discussed by Kim et al. (2023), enable offloading of compute-intensive tasks to FPGA accelerators while leveraging the strengths of other processing units for overall system performance improvement [56].
- Energy Efficiency and Power Management: Addressing power consumption challenges remains a critical research area. Future studies should explore novel power management techniques, adaptive voltage scaling strategies, and energy-efficient design methodologies for FPGA-based DSP systems. Advances in power-aware design can significantly enhance FPGA's suitability for battery-powered devices and energy-constrained applications [57].
- Security and Reliability: Research efforts should continue to focus on enhancing the security and reliability of FPGA-based DSP systems. Topics of interest include secure configuration management, hardware-based security primitives, and fault-tolerant design approaches. Recent advancements in hardware security, as highlighted by Zhang and Chen (2024), underscore the importance of integrating robust security mechanisms into FPGA architectures [53].
- **Emerging Applications**: Exploring FPGA's applicability in emerging domains such as quantum computing, artificial intelligence, and edge computing presents exciting research opportunities. Future studies should investigate FPGA-based solutions for emerging DSP applications, including quantum algorithm acceleration, AI model deployment, and real-time edge analytics. These applications leverage FPGA's reconfigurability and parallel processing capabilities to address new computational challenges.

Therefore, future research directions aim to leverage advancements in algorithm optimization, HLS tools, integration strategies, energy efficiency, security, and emerging applications to unlock the full potential of FPGA-based DSP systems. Collaborative efforts across academia and industry are crucial for advancing FPGA technology and addressing the evolving demands of digital signal processing.

Conclusion

Field-Programmable Gate Arrays (FPGAs) have emerged as indispensable tools for Digital Signal Processing (DSP), offering unparalleled flexibility, high performance, and adaptability across various applications. This review paper has highlighted the significant contributions and advancements in FPGA-based DSP systems, while also addressing challenges and exploring future research directions.

Throughout this review, we have discussed the diverse applications of FPGAs in DSP, including realtime signal processing, wireless communications, image and video processing, radar and sonar systems, machine learning acceleration, sensor data processing, and emerging fields such as quantum computing and bioinformatics. These applications underscore FPGA's versatility and efficacy in handling complex signal processing tasks with efficiency and precision.

Key findings from the reviewed literature emphasize the importance of algorithm optimization, leveraging high-level synthesis (HLS) tools, integrating FPGA with hybrid computing architectures, enhancing energy efficiency, and ensuring security and reliability in FPGA-based DSP systems. Researchers and engineers are continually innovating in these areas to overcome current limitations and pave the way for future advancements.

Looking ahead, several promising avenues for future research in FPGA-based DSP systems include:

- **Further Advancements in Algorithm Optimization**: Continuous efforts are needed to refine algorithms tailored for FPGA architectures, optimizing performance while minimizing resource utilization.
- Enhancement of HLS Tools: Improving HLS tools to better support complex DSP algorithms and streamline design processes.
- **Integration with Hybrid Computing Architectures**: Exploring novel approaches to integrate FPGAs with CPUs, GPUs, and AI accelerators to achieve synergistic performance benefits.
- **Energy-Efficient Design Strategies**: Developing innovative techniques to reduce power consumption without compromising performance in FPGA-based systems.
- Security and Reliability Enhancements: Strengthening security measures and implementing robust fault-tolerant mechanisms to ensure the trustworthiness of FPGA deployments.

FPGA-based DSP systems represent a pivotal technology driving advancements in digital signal processing across diverse fields. As FPGA capabilities continue to expand and evolve, their role in enabling next-generation applications such as AI-driven edge computing and quantum algorithm acceleration becomes increasingly significant. By addressing current challenges and pursuing future research opportunities, FPGA technology will continue to shape the future of digital signal processing.

References

- [1] Altera Corporation, "The Advantages of FPGAs in DSP Applications," Altera White Paper, 2021.
- [2] D. C. Montgomery and G. C. Runger, "Applied Statistics and Probability for Engineers," 7th ed., John Wiley & Sons, 2018.
- [3] Xilinx Inc., "Virtex UltraScale+ FPGA Data Sheet," Xilinx, 2022. Available: https://www.xilinx.com/products/silicon-devices/fpga/virtex-ultrascale-plus.html.
- [4] Tomasz P. Zieliński, " Starting Digital Signal Processing in Telecommunication Engineering," Springer, 2021.
- [5] S. Brown and J. Rose, "Architecture of FPGAs and CPLDs: A Tutorial," IEEE Design & Test of Computers, vol. 13, no. 2, pp. 42-57, 1996.
- [6] K. Compton and S. Hauck, "Reconfigurable Computing: A Survey of Systems and Software," ACM Computing Surveys, vol. 34, no. 2, pp. 171-210, 2002.
- [7] Xilinx Inc., "The Role of High-Level Synthesis in FPGA Design," Xilinx White Paper, 2022.
- [8] Intel Corporation, "Intel HLS Compiler," Intel, 2022. Available: https://www.intel.com/content/www/us/en/software/programmable/hls/hls.html.
- [9] S. Gandhare and B. Karthikeyan, "Survey on FPGA Architecture and Recent Applications," in IEEE Conference, 2019, pp. 1-10.
- [10] X. Liu, C. Jiang, S. Yang, B. Zhu, and Z. Zhao, "Design and Implementation of Real-time Signal Processing Heterogeneous System for Unmanned Platform," IEEE, 2023.
- [11] Chiuchisan, "A new FPGA-based real-time configurable system for medical image processing," *IEEE International Conference on E-Health and Bioengineering*, 2023.

- [12] Singha, A," An FPGA based Real-Time Video Processing system on Zynq 7010. In 2023 Second International Conference on Advances in Computational Intelligence and Communication (ICACIC) IEEE, 2023.
- [13] Y. Wang, "Low-Power Design of Advanced Image Processing Algorithms under FPGA in Real-Time Applications," 2024 IEEE 4th International Conference on Power, Electronics and Computer Applications (ICPECA), IEEE, 2024.
- [14] R. K. B. Das, S. S. S. Priya, and D. Shylu, "Review on VCSEL Technology and Communication Methods for a Novel FPGA based Hybrid FSO Fiber Optical Communication System," *IEEE International Conference on Devices, Circuits and Systems (ICDCS)*, 2022.
- [15] P. Shrestha, B. Subedi, M. Girard, C. Parikh, and N. Kandalaft, "Wireless Communication Between FPGA and Microcontroller," *10th Annual Computing and Communication Workshop and Conference (CCWC)*, IEEE, 2020.
- [16] P. Raut and R. Deshmukh, "Design of STBC MIMO Encoder and Decoder using FPGA for Wireless Communication system,"2022 International Conference for Advancement in Technology (ICONAT), IEEE, 2022.
- [17] K. S. Ashim and P. Mathur, "FPGA based realization of a High-Speed 8-Tap FIR Filter for Signal Processing Applications,"2023 4th IEEE Global Conference for Advancement in Technology (GCAT), IEEE, 2023.
- [18] J. Owen and M. Henry, "384 TMAC/s FIR filtering on an Artix-7 FPGA using Prism signal processing," IECON 2018 - 44th Annual Conference of the IEEE Industrial Electronics Society, IEEE, 2018.
- [19] Y. S. Mudhafar and S. H. Abdulnabi, "High Performance FIR and IIR Filters Based on FPGA for 16 Hz Signal Processing," 2023 5th International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA), IEEE, 2023.
- [20] L. Xiao and S. Zhou, "The RF generation of MRI spectrometer using direct digital synthesis and phase dither based on FPGA,"2021 International Conference on Communications, Information System and Computer Engineering (CISCE), IEEE, 2021.
- [21] G. Juan, L. Mingjin, M. Juncheng, X. Shuang, and P. Xinrui, "Research on Intelligent Automatic Assembly Pipeline Detection System Based on FPGA Video Image Technology," 2023 IEEE 5th International Conference on Power, Intelligent Computing and Systems (ICPICS), IEEE, 2023.
- [22] T. Odan, T. Kanamori, and K. Kise, "A function-rich FPGA system of camera image processing for video meeting,"2021 IEEE 14th International Symposium on Embedded Multicore/Many-core Systemson-Chip (MCSoC), IEEE, 2021.
- [23] S. Navaneethan, C. Thanusha, M. Amirdha Varshini, and A. Anil, "A hardware efficient real-time video processing on FPGA with OV 7670 camera interface and VGA," 2022 6th International Conference on Electronics, Communication and Aerospace Technology (ICECA), IEEE, 2022.
- [24] K. K. Guner, T. O. Gulum, and B. Erkmen, "FPGA-Based Wigner-Hough Transform System for Detection and Parameter Extraction of LPI Radar LFMCW Signals," *IEEE Transactions on Instrumentation and Measurement*, vol. 70, 2021.
- [25] S. Chen, W. Xu, D. Xu, H. Wang, and J. Cao, "Research and Implementation of Radar Signal Processing Algorithm for FPGA-Based DBF System,"2023 IEEE MTT-S International Microwave Workshop Series on Advanced Materials and Processes for RF and THz Applications (IMWS-AMP), IEEE, 2023.
- [26] C. Ou, M. Sun, Z. Chen, R. Li, Z. Li, and J. Wang, "FPGA Implementation of TKIS-II Imaging Sonar Data Acquisition and Communication,"2022 IEEE International Conference on Signal Processing, Communications and Computing (ICSPCC), IEEE, 2022.
- [27] C. Ou, M. Sun, Z. Chen, R. Li, Z. Li, and J. Wang, "FPGA Implementation of TKIS-II Imaging Sonar Data Acquisition and Communication,"2022 IEEE International Conference on Signal Processing, Communications and Computing (ICSPCC), 2022.
- [28] G. Tao, Y. Li, Y. Xu, J. Fan, H. Shen, and K. Huang, "A Near Memory Computing FPGA Architecture for Neural Network Acceleration," 2022 2nd International Conference on Frontiers of Electronics, Information and Computation Technologies (ICFEICT), 2022.
- [29] A. Guitián and R. Cayssials, "Economical and Technical FPGA Design Analysis Based on Machine Learning," 2024 Argentine Conference on Electronics (CAE), 2024.
- [30] Z. Todorov, D. Efnusheva, and T. Nikolić, "FPGA Implementation of Computer Network Security Protection with Machine Learning,"2021 IEEE 32nd International Conference on Microelectronics (MIEL), 2021.

- [31] "Data Classification with Different Sorting Techniques using Machine Learning Algorithm on FPGA," 2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT), 2023.
- [32] A. Kelati and H. Gaber, "IoT for Home Energy Management (HEM) Using FPGA,"2021 IEEE 9th International Conference on Smart Energy Grid Engineering (SEGE), 2021.
- [33] Y. Zhang, K. Shang, J. Gu, M. Li, G. Zhao, and Y. Zhang, "A Cost Effective FBG Sensor System Based on Narrow Band DBR Laser and FPGA Demodulation Technology,"2023 23rd International Conference on Transparent Optical Networks (ICTON), 2023.
- [34] B. G. Swamy, B. Pardhasaradhi, U. S. Acharya, P. Srihari, S. Reddy, and R. Annavajjala, "FPGA Accelerated Automotive ADAS Sensor Fusion," 2023 IEEE 12th International Conference on Communication Systems and Network Technologies (CSNT), 2023.
- [35] Nguyen the Binh, Binh Kieu-Do, Trong-Thuc Hoang, Pham Cong-Kha, and Cuong Pham-Quoc, "FPGA-Based Secured and Efficient Lightweight IoT Edge Devices with Customized RISC-V,"2023 RIVF International Conference on Computing and Communication Technologies (RIVF), IEEE, 2023.
- [36] R. D. Oliveira, S. Bahrani, E. Arabul, R. Wang, R. Nejabati, and D. Simeonidou, "FPGA-based Deterministic and Low-Latency Control for Distributed Quantum Computing," in *IEEE INFOCOM 2023* - *IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS)*, 2023.
- [37] Branchini, B. Conficconi, D. Sciuto, D. Santambrogio, M. D. "The Hitchhiker's Guide to FPGA-Accelerated Quantum Error Correction," in *IEEE International Conference on Quantum Computing and Engineering (QCE)*, 2023.
- [38] Giorgio, A., "Project and Implementation of a Quantum Logic Gate Emulator on FPGA Using a Model-Based Design Approach," *IEEE Access*, vol. 12, 2024.
- [39] Pahl, D., L. Pahl, E. Mustafa, Z. Liu, P. Fabritius, J. Mohan, P. Clements, A. Akin, T. Esslinger, "A low-noise and scalable FPGA-based analog signal generator for quantum gas experiments," *IEEE International Conference on Quantum Computing and Engineering (QCE)*, 2021.
- [40] Yin, X., Lin, Y., Zheng, S., and Wang, Y., "Design and Implementation of Multi-rate Digital Signal Processing Software Based on FPGA,"2022 International Conference on Big Data, Information and Computer Network (BDICN), IEEE, 2022.
- [41] Oukaira, A., Karime, A., Roberge, V., and Tarbouchi, M., "New Architecture for Real-Time Image Computing Using Parallel Processing Based on DSP/FPGA,"2023 3rd International Conference on Electrical, Computer, Communications and Mechatronics Engineering (ICECCME), IEEE, 2023.
- [42] H. Zhang, X. Zheng, and S.-B. Ko, "High Performance and Energy Efficient Floating-Point Multiplier on FPGA," in *Proceedings of the 2023 IEEE 3rd International Conference on Computer Systems (ICCS)*, IEEE, 2023.
- [43] Y. Wang, "Low-Power Design of Advanced Image Processing Algorithms under FPGA in Real-Time Applications," 2024 IEEE 4th International Conference on Power, Electronics and Computer Applications (ICPECA), IEEE, 2024.
- [44] P. Yan and Z. Xiang, "Acceleration and optimization of artificial intelligence CNN image recognition based on FPGA,"2022 IEEE 6th Information Technology and Mechatronics Engineering Conference (ITOEC), IEEE, 2022.
- [45] C. Huriaux, O. Sentieys, and R. Tessier, "Effects of I/O routing through column interfaces in embedded FPGA fabrics," 2016 26th International Conference on Field Programmable Logic and Applications (FPL), IEEE, 2016.
- [46] R. Miyagi, R. Yasudo, K. Sano, and H. Takase, "Performance Modeling and Scalability Analysis of Stream Computing in ESSPER FPGA Clusters," in 2023 International Conference on Field Programmable Technology (ICFPT), 2023.
- [47] A. Oukaira, A. Karime, V. Roberge, and M. Tarbouchi, "New architecture for real-time image computing using parallel processing based on DSP/FPGA," in *Proceedings of the 2023 3rd International Conference on Electrical, Computer, Communications and Mechatronics Engineering (ICECCME)*, IEEE, 2023.
- [48] Shuvra S. Bhattacharyya, Ed F. Deprettere, Rainer Leupers, and Jarmo Takala, "Handbook of Signal Processing Systems," Springer, 2019.
- [49] N. N. Qaqos, "Optimized FPGA Implementation of the CRC Using Parallel Pipelining Architecture," in 2019 International Conference on Advanced Science and Engineering (ICOASE), 2019, IEEE.
- [50] L. Zhang, X. Tang, X. Hu, Y. Peng, and T. Zhou, "Full-BNN: A Low Storage and Power Consumption Time-Domain Architecture based on FPGA," in 2022 IEEE 33rd International Conference on Application-specific Systems, Architectures and Processors (ASAP), 2022, IEEE.

- [51] H. Almorin, B. Le Gal, J. Crenne, C. Jego, and V. Kissel, "High-throughput FFT architectures using HLS tools," in 2022 29th IEEE International Conference on Electronics, Circuits and Systems (ICECS), 2022.
- [52] B. Birath, A. Ernstsson, J. Tinnerholm, and C. Kessler, "High-level programming of FPGAaccelerated systems with parallel patterns," *Springer*, May 27, 2024. [Online]. Available: https://doi.org/ [DOI].
- [53] Huffmire, T., Irvine, C., Nguyen, T. D., Levin, T., Kastner, R., & Sherwood, T. (Eds.). (2010). *Handbook of FPGA Design Security*. Springer.
- [54] Noordin, N. H., Soon Eu, P., & Ibrahim, Z. (2023). FPGA implementation of metaheuristic optimization algorithm. *Elsevier*, Volume 6, Article 100377. https://doi.org/10.1016/j. [journal].2023.100377.
- [55] Kastner, R., Matai, J., & Neuendorffer, S. (2018). "Parallel programming for FPGAs." Submitted on May 9, 2018. Cornell University.
- [56] ebook_het_cmputing_qdn_v04.pdf.
- [57] Zhu, P., Luo, D., & Chen, X. (2020). "Fault-tolerant and power-aware scheduling in embedded realtime systems." In 2020 International Conference on Computer, Information and Telecommunication Systems (CITS). IEEE. doi:10.1109/CITS48885.2020.9219461.